Butterfly	Caterpillar Host Plants	
Black swallowtail	parsley family - parsley, dill, fennel, carrot, Queen Anne's lace, Golden Alexanders (<i>Zizia aurea</i>), rue family - common rue, black snakeroot (Sanicu canadensis). Comment: Black snakeroot is a wonderful looking plant with t spires of tiny white flowers that hum with bees for several weeks. Golden Alexanders bloom in late spring/early summer, before a lot of other plants.	
Eastern tiger swallowtail	tuliptree or tulip popular (<i>Liriodendron tulipifera</i>), wild black cherry (<i>Prunus serotina</i>), ash (<i>Fraxinus</i> spp.), sweet bay magnolia (<i>Magnolia virginiana</i>), willow, birch	
Cabbage white (non-native)	mustard family - cabbage, broccoli, cauliflower, Brussels sprouts, garlic mustar (this is an invasive non-native), winter-cress	
Clouded sulphur	Clovers, senna, and partridge pea (which is a lovely little self-seeding annual)	
Orange sulphur	alfalfa, clovers	
Gray hairstreak	flowers and seeds of - tick-trefoils, bush-clovers, clovers, mallows, hibiscus, and hawthorns, hollyhocks	
Eastern tailed blue	clovers, bush-clovers, tick-trefoils, sweet clovers	
Spring azure/ summer azure	buds and flowers of - flowering dogwood (<i>Cornus florida</i>), black cherry (<i>Prunus serotina</i>), viburnums, blueberries, apple trees, meadow-sweet (<i>Spiraea</i> spp.), New Jersey tea (<i>Ceanothus americanus</i>), wingstem (<i>Verbesina alternifolia</i>)	
Great spangled fritillary	violets	
Silvery checkerspot	ox-eye sunflower (Heliopsis helianthoides), sunflowers (Helianthus spp.), black- eyed Susans (Rudbeckia spp.), wingstem (Verbesina alternifolia), coneflowers (Echinacea spp.)	
Pearl crescent	asters (Symphyotrichum spp)	
Eastern comma	nettles, hops, elms (<i>Ulmus</i> spp.) Will sip juice from rotting fruit (such as	

rice cutters (Leersia oryzoides), little bluestem Viburnums, honeysuckles, blueberries. These moths look very much like hummingbird Moth Nettles, false nettle (These butterflies sip juice from ripe figs.) Likes dandelion nectar. Red admiral nettles, false nettle (These butterflies sip juice from ripe figs.) English plantain, common plantain, figworts, vervains, snapdragon, toadflax milkweeds (Asclepias spp.) black locust (Robinia pseudoacacia), honeylocust (Gleditsia triacanthos), tick-trefoils, hog-peanut and other legumes, native wisteria Juvenal's duskywing Peck's skipper rice cutters (Leersia oryzoides), little bluestem Viburnums, honeysuckles, blueberries. These moths look very much like hummingbirds but are about half the size. They are active during the day.		
Common buckeye English plantain, common plantain, figworts, vervains, snapdragon, toadflax Monarch milkweeds (Asclepias spp.) Silver-spotted skipper black locust (Robinia pseudoacacia), honeylocust (Gleditsia triacanthos), ticktrefoils, hog-peanut and other legumes, native wisteria Juvenal's duskywing Peck's skipper rice cutters (Leersia oryzoides), little bluestem Viburnums, honeysuckles, blueberries. These moths look very much like hummingbirds but are about half the size. They are active during the day.		overripe figs on the tree). Likes dandelion nectar.
Monarch milkweeds (Asclepias spp.) Silver-spotted skipper black locust (Robinia pseudoacacia), honeylocust (Gleditsia triacanthos), ticktrefoils, hog-peanut and other legumes, native wisteria Juvenal's duskywing oaks Peck's skipper rice cutters (Leersia oryzoides), little bluestem Clearwing Hummingbird Viburnums, honeysuckles, blueberries. These moths look very much like hummingbirds but are about half the size. They are active during the day	Red admiral	nettles, false nettle (These butterflies sip juice from ripe figs.)
Silver-spotted black locust (<i>Robinia pseudoacacia</i>), honeylocust (<i>Gleditsia triacanthos</i>), tick-trefoils, hog-peanut and other legumes, native wisteria Juvenal's oaks Peck's skipper rice cutters (<i>Leersia oryzoides</i>), little bluestem Clearwing Hummingbird Viburnums, honeysuckles, blueberries. These moths look very much like hummingbirds but are about half the size. They are active during the day		English plantain, common plantain, figworts, vervains, snapdragon, toadflax
skipper trefoils, hog-peanut and other legumes, native wisteria Juvenal's oaks Peck's skipper rice cutters (Leersia oryzoides), little bluestem Clearwing Hummingbird Viburnums, honeysuckles, blueberries. These moths look very much like hummingbirds but are about half the size. They are active during the day	Monarch	milkweeds (Asclepias spp.)
Peck's skipper rice cutters (Leersia oryzoides), little bluestem Clearwing Hummingbird Viburnums, honeysuckles, blueberries. These moths look very much like hummingbirds but are about half the size. They are active during the day	1	
Clearwing Hummingbird Viburnums, honeysuckles, blueberries. These moths look very much like hummingbirds but are about half the size. They are active during the day.		oaks
Hummingbird Viburnums, honeysuckles, blueberries. These moths look very much like hummingbirds but are about half the size. They are active during the day	Peck's skipper	rice cutters (Leersia oryzoides), little bluestem
	Hummingbird	